

SPECIFICATION

Product number: G332BYK20-S01

Product type: Square screen display



Checked by	Rechecked by	Approved by
Comments	Approved by	Company's seal
Customer's Name:		

Please send the original back to us after you have approved and signed.

Modify History

Ver.	Page	Revised Descriptions	Date	Revision	Approval
REV.1.0	ALL	T0	2026.01.12		

Product Parameter:

33.2"		Model	Specifications	Units/Number	Notes
	Dimension		615.5 (L)*615.5(H)x30(W)	MM	
	Shell material		Black fine sand texture	-	
	Gross Weight		/	Kg/gross	
Screen Parameters	Display Size		596.16(L)x 596.16(H)	MM	
	Display- resolution		1920*1920	Pixel	
	Brightness		400	Cd/m ²	
	Contrast ratio		1000:1	-	
	Display scale		1:1	-	
	Viewing angle		89/89/89/89 (Typ.)(CR≥10)	-	
	Pixel pitch		0.1035*0.1035	MM	
	Display color		16.7M , 72% NTSC	M	
Electrical	Maximum power		≤50	W	
	Standby power		≤1	W	
	Supply Voltage		12V	V	
	Horn		3W/8 Ω*2	-	
WorkStorage	Operating temperature		0-50	°C	
	Working- humidity		10% ~80%	%hr	
	Storage temperature		-20-50	°C	
	Storage Humidity		10% ~80%	%hr	
Power interface			DC 12V 5A		

33.2"		Specifications	Units/Number	Notes
Model				
Functional configuration	CPU	RK3568, quad-core processor with a maximum clock speed of 2.0GHz		
	Operating System	Android 11		
	Memory Storage	Standard 2G+32G / optional 4G+32G/8G+64G		
	built-inROM	/		
	HDMI Out	/		
	HDMI import	1*HDMI IN		
	Support Video-Formats	Supports wmv, avi, flv, rm, rmvb, mpeg, ts		
	Support Image-Formats	Supports BMP, JPEG, PNG, GIF		
	Audio Input/Output	Supports left and right channel output, with built-in dual 4R/20W and 8R/10W power amplifiers		
	Headphone Output	support		
	USB Interface	1*USB 3.0 HOST/1*USB 3.0 OGT		
	Serial Port	1*RJ45		
	Network Support	Supports Gigabit Ethernet, 2.4G/5G dual-mode Wi-Fi, 6th generation wireless technology (Wi-Fi 6), and 802.11 a/b/g/n/ac/ax protocols. Also supports Bluetooth 5.0.		
	Memory Card	Supports TF cards		
	RTC	Built-in real-time clock		
	System Upgrade	Supports OTA remote upgrades and USB flash drive upgrades		

Product Rendering:



Product Dimension Drawing:

